L Number	Hits	Search Text	DB	Time stamp
T	2	5999978.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 15:49
_	864	((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 15:49
_	32	<pre>(((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))) and 709/318.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/11
-	0	709/318.ccls. and (bus adj manager\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/11
_	0	<pre>(((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))) and (bus adj manager\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/11 09:53
_	442		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/11 09:42
_	130	709/318.ccls. and (bus (bus adj3 manager\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/11 09:42
-	16	<pre>(((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))) and (709/318.ccls. and (bus (bus adj3 manager\$1)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11
-	. 70		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 10:36
-	59		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/11 12:22
_	11	709/318.ccls. and ((log\$1 near5 (local central server client)) same (event\$1 alert\$1 alarm\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/11 13:02
-	535	<pre>(propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 12:24
_	33		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 12:49

		,		
-	225	(((component\$1 module\$1 object\$1) near5	USPAT;	2003/06/11
		<pre>(propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1)</pre>	US-PGPUB; EPO; JPO;	12:49
		near3 (manag\$ notif\$))) and ((time timer)	DERWENT;	
		near3 (event\$1 alert\$1 alarm\$1))	IBM TDB	
_	190	((((component\$1 module\$1 object\$1) near5	USPAT;	2003/06/11
		(propert\$3 state\$1) near5 (chang\$3	US-PGPUB;	12:49
1		set\$3)) and ((event\$1 alert\$1 alarm\$1)	EPO; JPO;	
		near3 (manag\$ notif\$))) and ((time timer)	DERWENT;	
		near3 (event\$1 alert\$1 alarm\$1))) and	IBM_TDB	
		(distributed client\$1 server\$1)		
-	190	((((component\$1 module\$1 object\$1) near5	USPAT;	2003/06/11
		(propert\$3 state\$1) near5 (chang\$3	EPO; JPO;	12:49
		set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))) and ((time timer)	DERWENT; IBM TDB	
		near3 (event\$1 alert\$1 alarm\$1))) and	1511_105	
		(distributed client\$1 server\$1)		
_	24	(((((component\$1 module\$1 object\$1) near5	USPAT;	2003/06/11
		(propert\$3 state\$1) near5 (chang\$3	US-PGPUB;	12:50
		set\$3)) and ((event\$1 alert\$1 alarm\$1)	EPO; JPO;	
		near3 (manag\$ notif\$))) and ((time timer)	DERWENT;	
	·	near3 (event\$1 alert\$1 alarm\$1))) and	IBM_TDB	
	1	(distributed client\$1 server\$1)) and		
		(((log logged logging) near5 (local		
		central server client)) same (event\$1 alert\$1 alarm\$1))		
_	24	alert\$1 alarm\$1)) (((((component\$1 module\$1 object\$1) near5	USPAT;	2003/11/17
-	24	(((((components) modules) objects) hears (propert\$3 state\$1) near5 (chang\$3	EPO; JPO;	10:53
		set\$3)) and ((event\$1 alert\$1 alarm\$1)	DERWENT;	10.00
	İ	near3 (manag\$ notif\$))) and ((time timer)	IBM TDB	
		near3 (event\$1 alert\$1 alarm\$1))) and	_	
		(distributed client\$1 server\$1)) and		
		(((log logged logging) near5 (local		
		central server client)) same (event\$1		
		alert\$1 alarm\$1))		
-	135	709/318.ccls. and ((time timer) near3	USPAT;	2003/06/11
		(event\$1 alarm\$1 alert\$1))	US-PGPUB;	13:02
			EPO; JPO; DERWENT;	
			IBM TDB	
_	66	709/318.ccls. and ((time timer) near3	USPAT;	2003/06/11
		(event\$1 alarm\$1 alert\$1))	EPO; JPO;	13:03
			DERWENT;	
			IBM_TDB	
_	8	(709/318.ccls. and ((time timer) near3	USPAT;	2003/06/11
		(event\$1 alarm\$1 alert\$1))) and	EPO; JPO;	13:24
		<pre>(((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3</pre>	DERWENT; IBM TDB	
		(propert33 state\$1) hears (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1)	18t1 - 10B	
		near3 (manag\$ notif\$)))		
_	2		USPAT;	2003/06/11
]	•	EPO; JPO;	13:27
			DERWENT;	
		W. CO. C.	IBM_TDB	
-	1	"6038542".PN.	USPAT	2003/06/11
	.	#6020002# PM	IICDAM.	13:24
-	1	"6029092".PN.	USPAT	2003/06/11
_	1	"6021443".PN.	USPAT	2003/06/11
	*		33171	13:25
-	1	"5881315".PN.	USPAT	2003/06/11
				13:25
-	1	"5870605".PN.	USPAT	2003/06/11
				13:26
-	1	"5857190".PN.	USPAT	2003/06/11
	,		ue Dam	13:26
j ⁻	1	"5682532".PN.	USPAT	2003/06/11 13:26
_	2	6532498.pn.	USPAT;	2003/06/11
		0002170.pii.	EPO; JPO;	13:27
	1		DERWENT;	
	1		IBM TDB	
<u> </u>		1	<u> </u>	·

_	1	"5133075".PN.	USPAT	2003/06/11 13:27
-	1	"5237684".PN.	USPAT	2003/06/11 13:27
-	1	"5475843".PN.	USPAT	2003/06/11
-	1	"5504896".PN.	USPAT	2003/06/11
-	1	"5652888".PN.	USPAT	2003/06/11
-	1	"5652888".PN.	USPAT	2003/06/11 13:29
-	1	"5870605".PN.	USPAT	2003/06/11 13:29
-	566	(event\$1 same alarm\$1) and product\$1 and node\$!	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/06/11 14:30
-	563	(event\$1 same alarm\$1) and product\$1 and node\$1	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/06/11 14:31
_	40	((event\$1 same alarm\$1) and product\$1 and node\$1) and (event\$1 near5 structure\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/06/11 14:33
-	18	<pre>(((event\$1 same alarm\$1) and product\$1 and node\$1) and (event\$1 near5 structure\$1)) and (database same product)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/06/11 14:33
-	535	<pre>((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/06/11 14:43
-	51	<pre>(((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))) and ((active in\$1active up down on off) near3 state\$1 near8 (object\$1 module\$1 component\$1))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 14:46
	159	<pre>(((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))) and ((active in\$1active up down on off) near3 state\$1)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 14:46
-	117		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 14:46
_	104	<pre>(((((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3 set\$3)) and ((event\$1 alert\$1 alarm\$1) near3 (manag\$ notif\$))) and ((active in\$1active up down on off) near3 state\$1)) and ((active in\$1active up down on off) near3 (object\$1 module\$1 component\$1))) and (distributed client\$1 server\$1)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 14:47
-	2	5990886.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 10:14
-	2	6122627.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 10:14
L		L <u></u>	1 1711 1717	<u> </u>

Search History 11/17/03 3:49:52 PM

-	2	6018619.pn.	USPAT;	2003/11/17
	;		US-PGPUB;	10:15
1]		EPO; JPO;	
			DERWENT;	
		606000	IBM_TDB	
-	2	6363393.pn.	USPAT;	2003/11/17
	i		US-PGPUB;	10:16
			EPO; JPO;	
			DERWENT;	
		6170457	IBM_TDB	
-	2	6178457.pn.	USPAT;	2003/11/17
			US-PGPUB;	10:16
			EPO; JPO;	
		· ·	DERWENT;	
_	2	6021438 mm	IBM_TDB USPAT;	2002/11/17
-		6021438.pn.	1	2003/11/17
	,		US-PGPUB;	10:17
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	5970468.pn.	USPAT;	2003/11/17
-		3970400.pm.	US-PGPUB;	10:17
			EPO; JPO;	/
			DERWENT;	
			IBM TDB	
_	2	6473791.pn.	USPAT;	2003/11/17
		01.0731.pii.	US-PGPUB;	10:18
			EPO; JPO;	*****
			DERWENT;	
			IBM TDB	
_	2	646663.pn.	USPAT;	2003/11/17
ļ	_	- 0100003.pii.	US-PGPUB;	10:18
			EPO; JPO;	10.10
Ì			DERWENT;	
			IBM TDB	
 	2	6125363.pn.	USPAT;	2003/11/17
	-		US-PGPUB;	10:19
			EPO; JPO;	
	ŀ		DERWENT;	
			IBM TDB	
-	14	709/319.ccls. and distributed and event\$1	USPAT;	2003/11/17
			US-PGPUB;	10:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(709/319.ccls. and distributed and	USPĀT;	2003/11/17
		event\$1) and @ad<19990203	US-PGPUB;	10:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	709/319.ccls. and distributed	USPAT;	2003/11/17
			US-PGPUB;	10:32
			EPO; JPO;	
			DERWENT;	
		(700/2101	IBM_TDB	0000 /11 /17
-	17	(709/319.ccls. and distributed) and	USPAT;	2003/11/17
		@ad<19990203	US-PGPUB;	10:38
			EPO; JPO;	
			DERWENT;	
		///gomponentel	IBM_TDB	2002/11/17
_	63	(((component\$1 module\$1 object\$1) near3	USPAT;	2003/11/17
		(propert\$3 state\$1) near5 (chang\$3	US-PGPUB;	10:37
		set\$3)) and ((event\$1 alert\$1 alarm\$1)	EPO; JPO;	
		near3 (manag\$ notif\$))) and (bus adj2	DERWENT;	
		<pre>(manager\$1 controller\$1 master\$)) and distributed</pre>	IBM_TDB	
1_	17		USPAT;	2003/11/17
"	''	@ad<19990203) and @ad<19990203	US-PGPUB;	10:39
1		caa(1)))0203) and gaa(1))90203	EPO; JPO;	10.37
			DERWENT;	
			IBM TDB	
L				1

-	32	((((component\$1 module\$1 object\$1) near3	USPAT;	2003/11/17
		(propert\$3 state\$1) near5 (chang\$3	US-PGPUB;	10:58
		set\$3)) and ((event\$1 alert\$1 alarm\$1)	EPO; JPO;	
1	İ	near3 (manag\$ notif\$))) and (bus adj2	DERWENT;	
		(manager\$1 controller\$1 master\$)) and	IBM_TDB	
		distributed) and @ad<19990203		
-	48	(((((component\$1 module\$1 object\$1) near5	USPAT;	2003/11/17
		(propert\$3 state\$1) near5 (chang\$3	US-PGPUB;	10:54
ļ		set\$3)) and ((event\$1 alert\$1 alarm\$1)	EPO; JPO;	
		near3 (manag\$ notif\$))) and ((time timer)	DERWENT;	
		near3 (event\$1 alert\$1 alarm\$1))) and	IBM_TDB	
		(distributed client\$1 server\$1)) and		
		(((log logged logging) near5 (local		
		central server client)) same (event\$1		
	36	alert\$1 alarm\$1))	USPAT;	2003/11/17
-	20	<pre>((((((component\$1 module\$1 object\$1) near5 (propert\$3 state\$1) near5 (chang\$3</pre>	US-PGPUB;	10:58
		set\$3)) and ((event\$1 alert\$1 alarm\$1)	EPO; JPO;	10.56
		near3 (manag\$ notif\$))) and ((time timer)	DERWENT;	
		near3 (event\$1 alert\$1 alarm\$1))) and	IBM TDB	
		(distributed client\$1 server\$1)) and	1511_155	
		(((log logged logging) near5 (local		İ
1		central server client)) same (event\$1		
		alert\$1 alarm\$1))) and @ad<19990203		